




GENI in the Classroom



GENI

Exploring Networks of the Future

Vicraj Thomas

www.geni.net

GENI – Exploring future internets at scale

The GENI Concept

Building GENI

Experimental and Classroom use of GENI

What's next for GENI?

GENI: An experimenter's view

Global networks are creating extremely important new challenges

Science Issues

We cannot currently understand or predict the behavior of complex, large-scale networks




Innovation Issues

Substantial barriers to at-scale experimentation with new architectures, services, and technologies



Society Issues

We increasingly rely on the Internet but are unsure we can trust its security, privacy or resilience



GENI: Infrastructure for Experimentation



Regional nets

-  Existing
-  New


GENI WiMAX

-  Existing
-  New


GENI Racks (proposed sites)

-  New
-  Existing clusters/racks

Internet2 & NLR



GENI provides compute resources that can be connected in experimenter specified Layer 2 topologies.




GENI provides compute resources that can be connected in experimenter specified Layer 2 topologies.

Multiple GENI Experiments run Concurrently

Resources can be shared between slices




- Regional nets
 - Existing
 - New
- GENI WiMAX
 - Existing
 - New
- GENI Racks (proposed sites)
 - New
 - Existing clusters/racks
- Internet2 & NLR



Experiments live in **isolated “slices”**

GENI is “Deeply Programmable”


I install software I want throughout my network slice (into routers, switches, ...) or control switches using OpenFlow





Experimenters can set up custom topologies, protocols and switching of flows




GENI Racks




GENI Wireless
compute nodes




Existing Testbeds



Networking within a Rack



National Research Backbones (e.g. Internet2)



4G/3G
GENI network



WiMAX Base Stations



Regional Networks (e.g. CENIC)

GENI – Exploring future internets at scale

The GENI Concept

Building GENI

Experimental and Classroom use of GENI

What's next for GENI?

GENI: An experimenter's view


“I have a great idea.”



“That will never work.”




My new architecture worked great in the lab, so now I'm going to try a larger experiment for a few months.



He uses a modest slice of GENI, sharing its infrastructure with many other concurrent experiments.

It turns into a really good idea




His slice of GENI keeps growing, but GENI is still running many other concurrent experiments.

“Looks like an app to me.”



“It’s my very own GENI slice.”




“Boy did I learn a lot!”



“What a cool service.”


(I wonder how it works.)



“I always said it was
a great idea.”

(But way too conservative.)







If you have a great idea, check out the
NSF CISE research programs for current opportunities.

GENI is meant to enable . . .

- At-scale experiments
- Internet-incompatible experiments
- Both repeatable and “in the wild” experiments
- ‘Opt in’ for real users
- Instrumentation and measurement tools



GENI creates a huge opportunity for ambitious research!

GENI – Exploring future internets at scale

The GENI Concept


Building GENI

Experimental and Classroom use of GENI

What's next for GENI?


GENI: An experimenter's view

GENI grows by GENI-enabling heterogeneous infrastructure



Avoid technology “lock in” and grow quickly by incorporating existing infrastructure

Regional nets



-  Existing
-  New

GENI WiMAX


-  Existing
-  New

GENI Racks


(proposed sites)

-  New
-  Existing clusters/racks


Internet2 & NLR



Infeasible to build a testbed as big as the Internet




HP ProCurve 5400 Switch



NEC WiMAX Base Station

GENI-enabled equipment




GENI-enabled campuses, students as early adopters




“At scale” GENI prototype

GENI-enable testbeds, commercial equipment, campuses, regional and backbone networks

Campus photo by Vonbloompasha



- Flexible network / cloud research infrastructure
- Also suitable for physics, genomics, other domain science
- Distributed cloud (racks) for content caching, acceleration, etc.




Suman Banerjee, PI



Parmesh Ramanathan, PI




Dale W. Carter, Campus admin




- Collaboration to **implement national-scale infrastructure**
 - sliced and deeply-programmable
 - incorporating OpenFlow/SDN switches, GENI Racks, etc.
 - high-speed (10-100 Gbps)
- Internet2 provides dynamic link provisioning to GENI experimenters
 - Uses AL2S (Advanced Layer 2 Services)
- Experimenters can run OpenFlow controllers in AL2S
 - Experimenter roundtable session: 10.30am

- **Agreement with Sprint**
 - Sprint and Rutgers University have signed a **master spectrum agreement**
 - encompassing all WiMAX sites, to ensure **operation in the EBS Band**.
 - An **emergency stop procedure**, in case of interference with Sprint service, has been agreed upon.
- **SciWinet GENI Mobile Virtual Network Operator (MVNO)**
 - Partner with Sprint and Arterra (a Sprint partner) to create and operate an (**MVNO**) that serves the academic research community
 - The effort is led by Jim Martin and Ivan Seskar, to learn more:
<http://sciwinet.org>

WiMAX Developers session
Thu: 9am – 10.30am



- 26 Wimax Base Stations in 13 Sites
- 90 android handsets available to experimenters
- 36 wireless (yellow) nodes
- Uniform experimenter experience using yellow nodes
- Sliced, virtualized and interconnected through Internet2



- 26 Wimax Base Stations in 13 Sites
- 90 android handsets available to experimenters

- Sliced, virtualized and interconnected through Internet2

GMOC: GENI Meta-operation Center

- Keeps track of outages
- Notification system for resource reservation
- Monitors most GENI Aggregates
- Coordinates LLR Requests
 - Legal Law Enforcement & Regulatory
- Handles Emergency Stop



GMOC Calendar tracks reservations/outages

For emailed notifications: experimenter-ops*

<https://mail1.gnoc.iu.edu/mailman/listinfo/experimenter-ops>



Ilia Baldine
RENCI

More resources / rack,
fewer racks



Rajesh Narayanan
DELL



KC Wang Clemson

Latest addition



Rick McGeer
Fewer resources / rack,
more racks



GENI – Exploring future internets at scale

The GENI Concept

Building GENI

Experimental and Classroom use of GENI


What's next for GENI?

GENI: An experimenter's view



Research

- Future Internet Architectures
- Software defined networking
- Large scale evaluation of protocols
- Cloud networking
- Domain sciences




Education

- Classes in:
 - Computer Networking
 - Distributed systems
 - Cloud computing
 - Wireless Communications
- Undergraduate, graduate

GENI has over 3200 users!


Three FIA Teams have Slices on GENI




NDN (tutorial Wed @ 1.30pm)



XIA (tutorial @ today @10.30am)



MobilityFirst (tutorial today @ 3.30pm)



ChoiceNet (tutorial today @ 3.30pm)


GENI is the only testbed that can support these teams.



Parmesh Ramanathan
U. Wisconsin





KC Wang
Clemson U.



GENI Cinema


Improve in-time weather forecasting using **Software Defined eXchanges**



Mike Zink
Umass Amherst

GENI is the largest multi-domain SDN testbed

US Ignite: Builds application of the future



US Ignite promotes advanced applications and infrastructure leveraging GENI research and technologies.

Over 2100 students have used GENI

- Undergrad level
- Graduate level
- Used Internationally

Ready-to-use tutorials assignments


- Teach how to use GENI
- Teach networking concepts
- Teach distributed computing concepts
- Teach programmable networks

Train-the-TA tutorials

- Start of each semester
- Taught over WebEx



Jeannie Albrecht (Williams College) with students from her Spring 2012 Distributed Systems class



Train-the-TA Webinar

GENI in the Classroom – A great success!

*Jeannie Albrecht
(Williams College)
with students from
her Spring 2012
Distributed
Systems class*



Spring 2014 (15 classes):

Jeanne Albrecht (Williams College)
Suman Banerjee (U. of Wisconsin)
Baek-Young Choi (U. of Missouri-Kansas City)
Zongming Fei (U. of Kentucky)
Deniz Gurkan (U. of Houston)
Thanasis Korakis (NYU Poly)
Yaoqing Liu (Clarkson U.)
Shivendra Panwar (NYU Poly)
Robert Ricci (U. of Utah)
Carolyn Sher-Decusatis (City U. of New York)
Violet Syrotiuk (Arizona State U.)
Bing Wang (U. of Connecticut)
KC Wang (Clemson U.)
Vasillis Maglaris (NTUA Greece)
Gaia Maselli (Sapienza University of Rome – Italy)

Fall 2013:

Suman Banerjee (U. of Wisconsin)
Prasad Calyam (U. of Missouri)
Zongming Fei (U. of KY)
John Geske (Kettering U.)
Deniz Gurkan (U. of Houston)
Christos Papadopoulos (Col. State)
Henning Schulzrinne (Columbia U.)
Violet Syrotiuk (Arizona State U.)
Zhi-Li Zhang (U. of MN)

Spring 2013:

Jay Aikat (U. of NC)
Rudra Dutta (NCSU)
Khaled Harfoush (NCSU)
Jelena Marasevic (Columbia U)
Parmesh Ramanathan (U. Wisc)
Violet Syrotiuk (Arizona State U.)
KC Wang (Clemson)
Michael Zink (U. of MA)

Fall 2012:

Rudra Dutta (NCSU)
Zongming Fei (U. of KY)
Fraida Fund (NY Poly)
Kaiqi Xiong (RIT)


GENI in the Classroom – Moving Forward

Labs on GENI for networking textbook




Mike Zink
UMass Amherst

GENI Modules to teach networking concepts



Example Demo Module

Massive Online Open Courses on GENI



Example Assignment
Kevin Jaffay, Jay Aikat
UNC-Chapel Hill



Use GENI to educate the Internet users, not the Internet creators.

Shivendra Panwar,
Thanasis Korakis
NYU Poly



GENI Summer Camp

University of Connecticut

Late May 2015

Sign up to geni-announce@geni.net for updates.

GENI – Exploring future internets at scale

The GENI Concept


Building GENI

Experimental and Classroom use of GENI

What's next for GENI?

GENI: An experimenter's view

Interested in GENI Enabling your Campus?



“GENI-enabled” means . . .
 OpenFlow + GENI racks, plus WiMAX on some campuses



OpenGENI vendor





InstaGENI vendor




ExoGENI vendor

To buy a GENI Rack talk to rack vendors or GPO

- Tools to support complex experiments
 - Setup and manage complex topologies
 - jFed-based tutorial today @ 10.30am
 - VTS: Tutorial today @ 1.30pm
 - Configuration management tools: Wed @ 4pm
- New experimenter tools
 - Jacks and jFed
- New GENI-based courseware
 - GENI in Education @ 10.30am
- Shakedown Experiments
 - Run services in GENI
 - GENI Cinema, Intelligent Data Management
 - Use of GENI in other domain sciences
- Federation with new cyber-infrastructures
 - CloudLab & Chameleon NSF Cloud projects: Today @ 10.30am
 - Federation strategies: Today @ 2pm



Jacks



Storm Surge Modeling



GENI is working actively with peer efforts on five continents to define and adopt common concepts and APIs.

TransGeo Distributed Clouds: Think Globally, Compute Locally



Yvonne Coady
U. Victoria
Canada




Rob Ricci
U. Utah
US



Joe Mamberti
Northwestern
US



Julio Ibarra
FIU, US



Michael Stanton
USP, Brazil



Piet Demeester
Ughent
Belgium



Rick McGeer
HP, US



Paul Mueller
U. Kaiserslautern
Germany



Aki Nakao
U. Tokyo
Japan

Compute “green
index” for cities
worldwide

Federation fosters International Collaborations

GENI – Exploring future internets at scale

The GENI Concept

Building GENI

Experimental and Classroom use of GENI

What's next for GENI?


GENI: An experimenter's view

Slice

Abstraction for a collection of resources capable of running experiments

- An experiment uses resources in a slice
- Slices isolate experiments
- Experimenters are responsible for their slices





- **Clearinghouse: Manages users, projects and slices**
 - Standard credentials shared via custom API or new Common CH API
 - GENI supported accounts: GENI Portal/CH, PlanetLab CH, ProtoGENI CH
- **Aggregate: Provides resources to GENI experimenters**
 - Typically owned and managed by an organization
 - Speaks the GENI AM API
 - Examples: PlanetLab, Emulab, GENI Racks on various campuses

GENI User Authentication

The GENI Portal leverages InCommon for single sign-on authentication

InCommon[®]

Experimenters from 304 educational and research institutions have InCommon accounts

For many experimenters:


- no new passwords
- familiar login screens



GENI Project Office runs a federated IdP to provide accounts for non-federated organizations.

- Sliver: One or more resources provided by an aggregate
 - E.g. Bare machines, virtual machines, VLANs

My slice contains slivers from many aggregates.




- RSpecs: Lingua franca for describing and requesting resources
 - “Machine language” for negotiating resources between experiment and aggregate
 - Experimenter tools eliminate the need for most experimenters to write or read RSpec

```
<?xml version="1.0" encoding="UTF-8"?>
<rspec xmlns="http://www.protogeni.net/resources/rspec/2"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.protogeni.net/resources/rspec/2
    http://www.protogeni.net/resources/rspec/2/request.xsd"
  type="request" >
  <node client_id="my-node"
    exclusive="true">
    <sliver_type name="raw-pc" />
  </node>
</rspec>
```


RSpec for requesting a single node



Reserving Resources using RSpecs and the AM API

- Experimenter tools and aggregates talk to each other using resource specifications (**RSpecs**) and the GENI Aggregate Manager API (**GENI AM API**)
- Advertisement RSpec: What does an aggregate have?
- Request RSpec: What does the experimenter want?
- Manifest RSpec: What does the experimenter have?



- Demo
 - Login to the GENI Portal
 - Create a slice
 - Create a sliver at one aggregate
 - Two computers (VMs), connected by a LAN
 - Install and run software on the machines
 - View output of software
 - Delete sliver
- Experimenter tool: Jacks




- Tutorials on the GENI wiki
 - Look for the  icon on the GENI wiki and then click on  for tutorials
- Participate in the hands-on tutorials at the GEC
- Get a GENI account today!



At the GEC:

- Registration Desk
- Experimenter drop-in



Email: help@geni.net




Welcome to GENI

GENI is a new, nationwide suite of infrastructure supporting "at scale" research in networking, distributed systems, security, and novel applications. It is supported by the National Science Foundation, and available without charge for research and classroom use.

Use GENI

Find out more about using GENI

- [Information for GENI experimenters](#)
- [Published research that used GENI resources](#)
- Get [help](#) using GENI



These are some of the many resources being used in GENI experiments across the country.

GENI is sponsored by the  National Science Foundation

Online: <https://portal.geni.net>

Students need a professor to create a GENI project

GENI Engineering Conferences

We welcome your participation in GENI

- **23rd meeting, open to all:**
June 15-18, 2015, U. of Illinois, Urbana-Champaign
 - Planning & discussion for experimenters, software, infrastructure
 - Tutorials and workshops
 - **Travel grants** to US academics for participant diversity



QUESTIONS?