AL2S: What's New / What's Coming

Luke Fowler

luke@iu.edu






AL2S: What Is It?

- * "Advanced Layer 2 Service" -- nation-wide OpenFlow 1.0 substrate
- OESS: OpenFlow-switched virtual circuit service
 - point-to-point VLANs
 - multipoint VLANs ("static MAC routing", flooding)
- Network Virtualization Service
 - OpenFlow 1.0 interface
 - Sliced on VLAN tag (managed tag mode for single-tag apps) IN TERNET®





AL2S Topology: New Sites









AL2S Software Updates

- OESS 1.1.6:
 - "Layer 2 Trace"
 - various features targeted at admins, operations, efficiency/scalability
- FlowSpace Firewall 1.0.5
 - various small features/bug fixes to support slices we've been working with on lab testing/deployment
- GENI AL2S AM with Speaks For support (Thanks to Aaron Helsinger!)





ONOS + SDN-IP









How Do I Get My Slice of AL2S?

- Start by contacting the Internet2 NOC < noc@net.internet2.edu>
- NOC will send you a questionnaire:
 - OpenFlow matches/actions, how many flow table entries, number of expected packet in/out, etc.
 - NOC will match your answers with capabilities of AL2S hardware
 - Lab testing/validation in "mini-AL2S" environment
 - Deployment onto live network





AL2S: What's New / What's Coming

Luke Fowler

luke@iu.edu



